

Reference Sheet

Charge Sheet 1

- **Int J Pept Protein Res. 1992 Sep-Oct;40(3-4):214-21. A rational design of synthetic peptide vaccine with a built-in adjuvant. A modular approach for unambiguity. Defoort JP1, Nardelli B, Huang W, Tam JP.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/1478779>
- **Microbiol Rev. 1986 Dec;50(4):381-400. Biology of Borrelia species. Barbour AG, Hayes S**
 - <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC373079/pdf/microrev00055-0033.pdf>
- **J Bacteriol. 1964 Sep;88:811. RECOVERY OF TREPONEMA AND BORRELIA AFTER LYOPHILIZATION. HANSON AW, CANNEFAX GR.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/14208528>
 - <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC277387/pdf/jbacter00438-0287.pdf>
- **Sex Transm Dis. 2014 Jul;41(7):440-6. doi: 10.1097/OLQ.000000000000149. Charge Sheet 1: The Lyme Enterprise Page 4 Toll-like receptor polymorphisms are associated with increased neurosyphilis risk. Marra CM1, Sahi SK, Tantaló LC, Ho EL, Dunaway SB, Jones T, Hawn TR.**
 - <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4414322/>
- **Br Med J. 1911 Apr 1;1(2622):752. THE INFECTIVE GRANULE IN CERTAIN PROTOZOAL INFECTIONS, AS ILLUSTRATED BY THE SPIROCHAETOSIS OF SUDANESE FOWLS. Balfour A.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/20765548>
 - <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2333723/pdf/brmedj07824-0022.pdf>
- **Interview with Dr Willy Burgdorfer**

- <https://web.archive.org/web/20120814003829/http://www.underourskin.com/news/lyme-discoverer-willy-burgdorferbreaks-silence-heated-controversy?page=1>
- **FEMS Immunol Med Microbiol. 2000 Jul;28(3):193-6. Modulation of lymphocyte proliferative responses by a canine Lyme disease vaccine of recombinant outer surface protein A (OspA). Chiao JW1, Villalon P, Schwartz I, Wormser GP.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/10865170>
- **J Clin Invest. 1986 Oct;78(4):934-9. Antigens of Borrelia burgdorferi recognized during Lyme disease. Appearance of a new immunoglobulin M response and expansion of the immunoglobulin G response late in the illness. Craft JE, Fischer DK, Shimamoto GT, Steere AC.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/3531237>
- **1990, CDC published this case definition:**
 - <ftp://ftp.cdc.gov/pub/Publications/mmwr/rr/rr3913.pdf>
- **PRACTICE MANAGEMENT Infectious Diseases Society of America 2014 Practice Guidelines To Diagnose, Manage Skin, Soft Tissue Infections Charge Sheet 1: The Lyme Enterprise Page 10 The Hospitalist. 2015 March;2015(3) Author(s): Norihiro Yogo, MD, Carla C. Saveli, MD**
 - <http://www.the-hospitalist.org/article/infectious-diseases-society-of-america-2014-practice-guidelines-to-diagnose-manageskin-soft-tissue-infections/>
- **N Engl J Med. 1988 Dec 1;319(22):1441-6. Seronegative Lyme disease. Dissociation of specific T- and B-lymphocyte responses to Borrelia burgdorferi. Dattwyler RJ1, Volkman DJ, Luft BJ, Halperin JJ, Thomas J, Golightly MG.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/3054554>
 - http://www.actionlyme.org/dattwyler1988_1.pdf
- **Ann N Y Acad Sci. 1988;539:103-11. Modulation of natural killer cell activity by Borrelia burgdorferi. Golightly M1, Thomas J, Volkman D, Dattwyler R. "Effect of B burgdorferi Culture on Normal PBL**
 - <http://www.ncbi.nlm.nih.gov/pubmed/3056196>

- http://www.actionlyme.org/golightly_Datt1988.pdf

- **Engl J Med. 1990 Nov 22;323(21):1438-44. Chronic neurologic manifestations of Lyme disease. Logigian EL1, Kaplan RF, Steere AC.lood mononuclear cells were tested for reactivity with borrelial antigens by proliferative assay. (26)**
 - <https://www.ncbi.nlm.nih.gov/pubmed/2172819>
 - <http://www.nejm.org/doi/pdf/10.1056/NEJM199011223232102>

- **N Engl J Med. 1988 Dec 1;319(22):1441-6. Seronegative Lyme disease. Dissociation of specific T- and B-lymphocyte responses to Borrelia burgdorferi. Dattwyler RJ1, Volkman DJ, Luft BJ, Halperin JJ, Thomas J, Golightly MG.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/3054554>

- **J Infect Dis. 1994 Feb;169(2):313-8. Antibody responses to the three genomic groups of Borrelia burgdorferi in European Lyme borreliosis. Dressler F1, Ackermann R, Steere AC.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/8106763>
 - <http://www.actionlyme.org/dressler1994.pdf>

- **Infect Immun. 1993 Jul;61(7):2774-9. Charge Sheet 1: The Lyme Enterprise Page 14 Association of treatment-resistant chronic Lyme arthritis with HLA-DR4 and antibody reactivity to OspA and OspB of Borrelia burgdorferi. Kalish RA1, Leong JM, Steere AC.**
 - http://media.wix.com/ugd/47b066_90b3f15f334346c1aede0bf8e98522ba.pdf

- **J Infect Dis. 1994 Feb;169(2):313-8. Antibody responses to the three genomic groups of Borrelia burgdorferi in European Lyme borreliosis. Dressler F1, Ackermann R, Steere AC.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/8106763>

- **J Infect Dis. 1994 Feb;169(2):313-8. Antibody responses to the three genomic groups of Borrelia burgdorferi in European Lyme borreliosis. Dressler F1, Ackermann R, Steere AC.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/8106763>

- **Method for detecting *B. burgdorferi* infection**
 - <http://patft1.uspto.gov/netacgi/nph-Parser?Sect1=PTO1&Sect2=HITOFF&d=PALL&p=1&u=%2Fnethtml%2FPTO%2Fsrchnum.htm&r=1&f=G&l=50&s1=6045804.PN.&OS=PN/6045804&RS=PN/6045804>

- **J Clin Microbiol. 1997 Jan;35(1):233-8. *Borrelia burgdorferi* enzyme-linked immunosorbent assay for discrimination of OspA vaccination from spirochete infection. Zhang YQ1, Mathiesen D, Kolbert CP, Anderson J, Schoen RT, Fikrig E, Persing DH.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/8968914>

- **Science. 1993 Jun 11;260(5114):1610-6. The biological and social phenomenon of Lyme disease. Barbour AG1, Fish D.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/8503006>

- **J Infect Dis. 2005 Sep 15;192(6):1010-3. Epub 2005 Aug 4. A case-control study to examine HLA haplotype associations in patients with posttreatment chronic Lyme disease. Klempner MS1, Wormser GH, Wade K, Trevino RP, Tang J, Kaslow RA, Schmid C**
 - <https://www.ncbi.nlm.nih.gov/pubmed/16107953>
 - <http://jid.oxfordjournals.org/content/192/6/1010.full>

- **Infect Immun. 1991 Oct;59(10):3531-5. Molecular characterization of the humoral response to the 41-kilodalton flagellar antigen of *Borrelia burgdorferi*, the Lyme disease agent. Berland R1, Fikrig E, Rahn D, Hardin J, Flavell RA.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/1894359>

- **Many California bird species host the Lyme disease bacterium, study finds:**
 - <http://www.latimes.com/science/sciencenow/la-sci-sn-california-birds-lyme-disease-20150225-story.html>

- **N Engl J Med. 1988 Dec 1;319(22):1441-6. Seronegative Lyme disease. Dissociation of specific T- and B-lymphocyte responses to Borrelia burgdorferi. Dattwyler RJ1, Volkman DJ, Luft BJ, Halperin JJ, Thomas J, Golightly MG.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/3054554>
 - http://www.actionlyme.org/dattwyler1988_1.pdf

- **Ann N Y Acad Sci. 1988;539:103-11. Modulation of natural killer cell activity by Borrelia burgdorferi. Golightly M1, Thomas J, Volkman D, Dattwyler R**
 - <http://www.ncbi.nlm.nih.gov/pubmed/3056196>

- **J Clin Microbiol. 1993 Dec;31(12):3090-5. Serodiagnosis in early Lyme disease. Aguero-Rosenfeld ME1, Nowakowski J, McKenna DF, Carbonaro CA, Wormser GP.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/8308100>
 - <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC266355/pdf/jcm00024-0026.pdf>

- **Science. 1993 Jun 11;260(5114):1610-6. The biological and social phenomenon of Lyme disease. Barbour AG1, Fish D.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/8503006>
 - <http://actionlyme.org/BarbourFishpdf.pdf>

- **Prophylactic and therapeutic treatment of infectious and other diseases with mono- and disaccharide-based compounds "Accordingly, the methods of the invention provide a powerful and selective approach for modulating the innate immune response pathways in animals without giving rise to the toxicities often associated with the native bacterial components that normally stimulate those pathways."**
 - <http://patft.uspto.gov/netacgi/nph-Parser?Sect1=PTO1&Sect2=HITOFF&d=PALL&p=1&u=/netahtml/PTO/srchnum.htm&r=1&f=G&l=50&s1=6,800,613.PN.&OS=PN/6,800,613&RS=PN/6,800,613>

- **Clinical Vignettes, Case 13, A Vaccine Recipient who Develops Arthralgia and Fatigue, page 238-9, and is about what to do with a person who has had the Yale dangerous rOspA non-vaccine. He says not to test these LYMERix victims and he minimizes their symptoms, knowing that late, neurologic chronic Lyme symptoms**

are identical to what Schoen says are "nonspecific" (fatigue, meningitis, etc.; post-sepsis syndrome). Schoen says the exact reverse in the Persing-Schoen-Corixa-RICO patent (US. Pat. No. 6,045,804 and associated journal report,

- <http://www.ncbi.nlm.nih.gov/pubmed/8968914>)
- Dearborn standard was to satisfy this subsequent racketeering condition or monopoly on testing, once LYMERix was on the market. That is why I call this the RICO patent:
 - <http://patft1.uspto.gov/netacgi/nph-Parser?Sect1=PTO1&Sect2=HITOFF&d=PALL&p=1&u=%2Fnethtml%2FPTO%2Fsrchnum.htm&r=1&f=G&l=50&s1=6045804.PN.&OS=PN/6045804&RS=PN/6045804>
- Lyme Disease, ACP Key Diseases Series, by Rahn and Evans” ISBN-10: 0-943126-58-4 , ISBN-13: 9780943126586 Publisher: American College of Physicians Year: January 15, 1998
 - http://www.amazon.com/Lyme-Disease-Key-Diseases-Series/dp/0943126584/ref=sr_1_fkmr0_2?ie=UTF8&qid=1341914626&sr=8-2-fkmr0&keywords=lyme+disease+rhan+and+evans
- The 1998 Vaccines Reports (ImuLyme and LYMERix): LYMERix results (76% "safe and effective"): N Engl J Med. 1998 Jul 23;339(4):209-15. Vaccination against Lyme disease with recombinant Borrelia burgdorferi outer-surface lipoprotein A with adjuvant. Lyme Disease Vaccine Study Group. Steere AC1, Sikand VK, Meurice F, Parenti DL, Fikrig E, Schoen RT, Nowakowski J, Schmid CH, Laukamp S, Buscarino C, Krause DS.
 - <https://www.ncbi.nlm.nih.gov/pubmed/9673298>
 - <http://content.nejm.org/cgi/content/abstract/339/4/209>
- ImmuLyme results (92% "safe and effective"): N Engl J Med. 1998 Jul 23;339(4):216-22. A vaccine consisting of recombinant Borrelia burgdorferi outer-surface protein A to prevent Lyme disease. Recombinant Outer-Surface Protein A Lyme Disease Vaccine Study Consortium. Sigal LH1, Zahradnik JM, Lavin P, Patella SJ, Bryant G, Haselby R, Hilton E, Kunkel M, Adler-Klein D, Doherty T,

Evans J, Molloy PJ, Seidner AL, Sabetta JR, Simon HJ, Klempner MS, Mays J, Marks D, Malawista SE.

- <https://www.ncbi.nlm.nih.gov/pubmed/9673299>
- <http://content.nejm.org/cgi/content/abstract/339/4/216>

- **Clin Infect Dis. 2000 Jul;31(1):42-7. Epub 2000 Jul 17. Detection of multiple reactive protein species by immunoblotting after recombinant outer surface protein A Lyme disease vaccination. Molloy PJ1, Berardi VP, Persing DH, Sigal LH.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/10913394>
 - <https://academic.oup.com/cid/article-lookup/doi/10.1086/313920>

- **J Clin Microbiol. 1997 Jan;35(1):233-8. Borrelia burgdorferi enzyme-linked immunosorbent assay for discrimination of OspA vaccination from spirochete infection. Zhang YQ1, Mathiesen D, Kolbert CP, Anderson J, Schoen RT, Fikrig E, Persing DH.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/8968914>
 - <http://jcm.asm.org/cgi/reprint/35/1/233?view=long&pmid=8968914>

- **Same: Schoen and Persing in their 1995-6 RICO method patent:**
 - <http://patft1.uspto.gov/netacgi/nph-Parser?Sect1=PTO1&Sect2=HITOFF&d=PALL&p=1&u=%2Fmetahtml%2FPTO%2Fsrchnum.htm&r=1&f=G&l=50&s1=6045804.PN.&OS=PN/6045804&RS=PN/6045804>

Charge Sheet 2

- **N Engl J Med. 2001 Jul 12;345(2):85-92. Two controlled trials of antibiotic treatment in patients with persistent symptoms and a history of Lyme disease. Klempner MS1, Hu LT, Evans J, Schmid CH, Johnson GM, Trevino RP, Norton D, Levy L, Wall D, McCall J, Kosinski M, Weinstein A.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/11450676>

- **ImuLyme trial result (falsified; used Dearborn, blots were unreadable): N Engl J Med. 1998 Jul 23;339(4):216-22. A vaccine consisting of recombinant Borrelia burgdorferi outer-surface protein A to prevent Lyme disease. Recombinant Outer-Surface Protein A Lyme Disease Vaccine Study Consortium. Sigal LH1, Zahradnik JM, Lavin P, Patella SJ, Bryant G, Haselby R, Hilton E, Kunkel M, Adler-Klein D,**

Doherty T, Evans Charge Sheet 2: The Patents Page 36 J, Molloy PJ, Seidner AL, Sabetta JR, Simon HJ, Klempner MS, Mays J, Marks D, Malawista SE.

- [http:// www.ncbi.nlm.nih.gov/pubmed/9673299](http://www.ncbi.nlm.nih.gov/pubmed/9673299)

- **LYMERix trial result (falsified; used Dearborn, blots were unreadable): N Engl J Med. 1998 Jul 23;339(4):209-15. Vaccination against Lyme disease with recombinant Borrelia burgdorferi outer-surface lipoprotein A with adjuvant. Lyme Disease Vaccine Study Group. Steere AC1, Sikand VK, Meurice F, Parenti DL, Fikrig E, Schoen RT, Nowakowski J, Schmid CH, Laukamp S, Buscarino C, Krause DS.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/9673298>

- **Barbour says OspA will not work as a vaccine due to antigenic variation, 1992: J Exp Med. 1992 Sep 1;176(3):799-809. Antibody-resistant mutants of Borrelia burgdorferi: in vitro selection and characterization. Sądziene A1, Rosa PA, Thompson PA, Hogan DM, Barbour AG.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/1339462>

- **Fikrig and Flavell say OspA will not work as a vaccine due to “selection pressure” or antigenic variation, 1995: Infect Immun. 1995 May;63(5):1658-62. Selection of variant Borrelia burgdorferi isolates from mice immunized with outer surface protein A or B. Fikrig E1, Tao H, Barthold SW, Flavell RA.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/7729870>

- **J Infect Dis. 1994 Feb;169(2):313-8. Antibody responses to the three genomic groups of Borrelia burgdorferi in European Lyme borreliosis. Dressler F1, Ackermann R, Steere AC.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/8106763>

- **J Clin Microbiol. 2001 Feb;39(2):494-7. Lone star tick-infecting borreliae are most closely related to the agent of bovine borreliosis. Rich SM1, Armstrong PM, Smith RD, Telford SR 3rd.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/11158095>

- **Infect Immun. 1991 Oct;59(10):3531-5. Molecular characterization of the humoral response to the 41-kilodalton flagellar antigen of Borrelia burgdorferi, the Lyme disease agent. Berland R1, Fikrig E, Rahn D, Hardin J, Flavell RA. Charge Sheet 2: The Patents Page 39**
 - <http://www.ncbi.nlm.nih.gov/pubmed/189435>

- **Fikrig and Flavell say OspA will not work due to antigenic variation: Infect Immun. 1995 May;63(5):1658-62. Selection of variant Borrelia burgdorferi isolates from mice immunized with outer surface protein A or B. Fikrig E1, Tao H, Barthold SW, Flavell RA.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/7729870>

- **Padula “OspC – not in strain B31” PubMed report: Infect Immun. 1993 Dec;61(12):5097-105. Molecular characterization and expression of p23 (OspC) from a North American strain of Borrelia burgdorferi. Padula SJ1, Sampieri A, Dias F, Szczepanski A, Ryan RW.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/8225587>

- **This Persing-Schoen RICO-RICO Patent 6,045,804, is also written up in this PubMed report, cowritten by Yale’s Robert Schoen: J Clin Microbiol. 1997 Jan;35(1):233-8. Borrelia burgdorferi enzyme-linked immunosorbent assay for discrimination of OspA vaccination from spirochete infection. Zhang YQ1, Mathiesen D, Kolbert CP, Anderson J, Schoen RT, Fikrig E, Persing DH.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/8968914>

Charge Sheet 3

- **N Engl J Med. 2001 Jul 12;345(2):85-92. Two controlled trials of antibiotic treatment in patients with persistent symptoms and a history of Lyme disease. Klempner MS1, Hu LT, Evans J, Schmid CH, Johnson GM, Trevino RP, Norton D, Levy L, Wall D, McCall J, Kosinski M, Weinstein A.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/11450676>
 - <http://content.nejm.org/cgi/reprint/345/2/85.pdf>

- **Neurology. 2003 Jun 24;60(12):1916-22. Cognitive function in post-treatment Lyme disease: do additional antibiotics help? Kaplan RF1, Trevino RP, Johnson GM, Levy L, Dornbush R, Hu LT, Evans J, Weinstein A, Schmid CH, Klempner MS. "CONCLUSION: "Patients with post-treatment chronic Lyme disease who have symptoms but show no evidence of persisting Borrelia infection do not show**

objective evidence of cognitive impairment. Additional antibiotic therapy was not more beneficial than administering placebo."

- <https://www.ncbi.nlm.nih.gov/pubmed/12821733>

- **Neurology. 2003 Jun 24;60(12):1916-22. Cognitive function in post-treatment Lyme disease: do additional antibiotics help? Kaplan RF1, Trevino RP, Johnson GM, Levy L, Dornbush R, Hu LT, Evans J, Weinstein A, Schmid CH, Klempner MS. "CONCLUSION: "Patients with post-treatment chronic Lyme disease who have symptoms but show no evidence of persisting Borrelia infection do not show objective evidence of cognitive impairment. Additional antibiotic therapy was not more beneficial than administering placebo."**

- <https://www.ncbi.nlm.nih.gov/pubmed/12821733>

- **Neurology. 2003 Jun 24;60(12):1916-22. Cognitive function in post-treatment Lyme disease: do additional antibiotics help? Kaplan RF1, Trevino RP, Johnson GM, Levy L, Dornbush R, Hu LT, Evans J, Weinstein A, Schmid CH, Klempner MS. "CONCLUSION: "Patients with post-treatment chronic Lyme disease who have symptoms but show no evidence of persisting Borrelia infection do not show objective evidence of cognitive impairment. Additional antibiotic therapy was not more beneficial than administering placebo."**

- <https://www.ncbi.nlm.nih.gov/pubmed/12821733>

- **J Infect Dis. 1998 Feb;177(2):401-8. Matrix metalloproteinases in the cerebrospinal fluid of patients with Lyme neuroborreliosis. Perides G1, Charness ME, Tanner LM, Péter O, Satz N, Steere AC, Klempner MS.**

- <https://www.ncbi.nlm.nih.gov/pubmed/9466528>

- **J Infect Dis. 1992 Aug;166(2):440-4. Fibroblasts protect the Lyme disease spirochete, Borrelia burgdorferi, from ceftriaxone in vitro. Georgilis K1, Peacocke M, Klempner MS.**

- <https://www.ncbi.nlm.nih.gov/pubmed/1634816>

- http://actionlyme.org/Mark_Klempner_Fibroblasts.htm

- **Ann Intern Med. 2000 Apr 18;132(8):661-8. The Lyme disease vaccine: conception, development, and implementation. Thanassi WT1, Schoen R**

- <https://www.ncbi.nlm.nih.gov/pubmed/10766685>

- <http://annals.org/article.aspx?articleid=713400>

- **Clin Electroencephalogr. 1995 Jul;26(3):137-45. QEEG and evoked potentials in central nervous system Lyme disease. Chabot RJ1, Sigal LH.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/7554300>

- **Neurology. 1997 Dec;49(6):1661-70. Reversible cerebral hypoperfusion in Lyme encephalopathy. Logigian EL1, Johnson KA, Kijewski MF, Kaplan RF, Becker JA, Jones KJ, Garada BM, Holman BL, Steere AC.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/9409364>

- **Antiphospholipid antibodies (Steere and Yale claiming Lyme caused Lupus - probably more likely to be due to the reactivated EBV, but we will look more closely later)**
 - <https://www.ncbi.nlm.nih.gov/pubmed/8410057>

- **Neurology. 1992 Jan;42(1):43-50. Neuroactive kynurenines in Lyme borreliosis. Halperin JJ1, Heyes MP.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/1531156>

- **Arch Neurol. 1990 May;47(5):586-94. Immunologic reactivity against Borrelia burgdorferi in patients with motor neuron disease. Halperin JJ1, Kaplan GP, Brazinsky S, Tsai TF, Cheng T, Ironside A, Wu P, Delfiner J, Golightly M, Brown RH**
 - <https://www.ncbi.nlm.nih.gov/pubmed/2334308>
 - FULL TEXT: <http://www.actionlyme.org/ALSLYME47.htm>

- **J Infect Dis. 1994 May;169(5):1014-22. Borrelia burgdorferi and Escherichia coli lipopolysaccharides induce nitric oxide and interleukin-6 production in cultured rat brain cells. Tatro JB1, Romero LI, Beasley D, Steere AC, Reichlin S.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/7513330>

- **Infect Immun. 1995 Oct;63(10):4130-7. Experimental immunization with Borrelia burgdorferi induces development of antibodies to gangliosides. Garcia-Monco JC1, Seidman RJ, Benach JL.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/7558329>
 - <http://iai.asm.org/content/63/10/4130.full.pdf+html?view=long&pmid=7558329>

- **Rev Infect Dis. 1989 Sep-Oct;11 Suppl 6:S1487-93. Clinical pathologic correlations of Lyme disease. Duray PH1.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/2814170>
 - Full Text: http://www.actionlyme.org/IDSA_CLINIPATH_DURAY.htm

- **Paul Duray, NCI, NIH, Ft. Detrick, at the 1992 Cold Spring Harbor Crooks' Conference, published in Steve Schutzer's Lyme Disease: Molecular and Immunologic Approaches. – book: Publisher, Cold Spring Harbor Press, 1992, ISBN: 087693770, 978087969377**

- **J Neuropathol Exp Neurol. 2006 Jun;65(6):540-8. Borrelia burgdorferi Induces TLR1 and TLR2 in human microglia and peripheral blood monocytes but differentially regulates HLA-class II expression. Cassiani-Ingoni R1, Cabral ES, Lünemann JD, Garza Z, Magnus T, Gelderblom H, Munson PJ, Marques A, Martin R.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/16783164>

- **J Infect Dis. 2006 Mar 15;193(6):849-59. Epub 2006 Feb 8. Borrelia burgdorferi lipoprotein-mediated TLR2 stimulation causes the down-regulation of TLR5 in human monocytes. Cabral ES1, Gelderblom H, Hornung RL, Munson PJ, Martin R, Marques AR.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/16479520>

- **When Lyme Disease Lasts and Lasts" – Jane Brody, NYTimes.com**
 - <http://well.blogs.nytimes.com/2013/07/08/when-lyme-disease-lasts-and-lasts/>

- **Dormant viruses re-emerge in patients with lingering sepsis, signaling immune suppression**
 - <http://news.wustl.edu/news/Pages/27015.aspx>

- **PLoS One. 2014 Jun 11;9(2):e98819. doi: 10.1371/journal.pone.0098819. eCollection 2014. Reactivation of multiple viruses in patients with sepsis. Walton AH1, Muenzer JT2, Rasche D1, Boomer JS3, Sato B4, Brownstein BH1, Pachot A5, Brooks TL3, Deych E3, Shannon WD3, Green JM3, Storch GA2, Hotchkiss RS1.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/24919177>

- <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0098819>
- Surviving Sepsis: Detection and Treatment Advances
 - <http://www.livescience.com/47387-sepsis-diagnosis-treatment-research-nigms.html>
- Sepsis Has Long-Term Impact for Older Adults, Study Finds By Rachael Rettner, Senior Writer | October 26, 2010
 - <http://www.livescience.com/8831-sepsis-long-term-impact-older-adults-study-finds.htm>

Charge Sheet 4

- PLoS Pathog. 2015 Jul 2;11(7):e1004976. doi: 10.1371/journal.ppat.1004976. eCollection 2015. Suppression of Long-Lived Humoral Immunity Following *Borrelia burgdorferi* Infection. Elsner RA1, Hastey CJ1, Olsen KJ2, Baumgarth N3.
 - <https://www.ncbi.nlm.nih.gov/pubmed/26136236>
- MBio. 2016 Feb 12;7(1):e00100-16. doi: 10.1128/mBio.00100-16. Longitudinal Transcriptome Analysis Reveals a Sustained Differential Gene Expression Signature in Patients Treated for Acute Lyme Disease. Bouquet J1, Soloski MJ2, Swei A3, Cheadle C2, Federman S1, Billaud JN4, Rebman AW2, Kabre B1, Halpert R4, Boorgula M2, Aucott JN5, Chiu CY6.
 - <https://www.ncbi.nlm.nih.gov/pubmed/26873097>
- Six months after treatment, 15 of the 29 patients in the study had fully recovered, while 13 had persistent symptoms, and one had dropped out.
 - <http://www.genengnews.com/gen-news-highlights/lyme-disease-may-be-diagnosable-via-transcriptome-signature/ 81252365/>

OspA-ish antigens causing immune cell immortalization or inhibition of apoptosis:

1. Cell Microbiol. 2007 Jan;9(1):142-53. Epub 2006 Aug 2. “The inhibitory effect of *Mycoplasma fermentans* on tumour necrosis factor (TNF)-alpha-induced apoptosis resides in the membrane lipoproteins.” Gerlic M1, Horowitz J, Farkash S, Horowitz S.
 - a. <https://www.ncbi.nlm.nih.gov/pubmed/16889623>

2. **Curr Genomics. 2009 Aug;10(5):306-17. doi: 10.2174/138920209788920967. Anti-apoptotic genes in the survival of monocytic cells during infection. Busca A1, Saxena M, Kryworuchko M, Kumar A**
 - a. <http://www.ncbi.nlm.nih.gov/pubmed/20119528>
 - b. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2729995/?tool=pubmed>

3. **Eur J Immunol. 1997 Sep;27(9):2450-6. Mycobacterium bovis Bacillus Calmette Guérin infection prevents apoptosis of resting human monocytes. Kremer L1, Estaquier J, Brandt E, Ameisen JC, Loch C**
 - a. <https://www.ncbi.nlm.nih.gov/pubmed/9341792>

- **FEMS Immunol Med Microbiol. 2000 Jul;28(3):193-6. Modulation of lymphocyte proliferative responses by a canine Lyme disease vaccine of recombinant outer surface protein A (OspA). Chiao JW1, Villalon P, Schwartz I, Wormser GP.**
 - <http://femsim.oxfordjournals.org/content/28/3/193.long>

- **1988, 1989, and 1992, Allen Steere and Paul Duray on immortalized B cells in the spinal fluid of Lyme victims:Ann N Y Acad Sci. 1988;539:65-79. Clinical pathologic correlations of Lyme disease by stage. Duray PH1, Steere AC. Author information Department of Pathology, Fox Chase Cancer Center, Philadelphia, Pennsylvania 19111.**
 - **LYME DISEASE IN MATERNAL INFECTIONS**
 - <https://www.ncbi.nlm.nih.gov/pubmed/2847622>
 - <http://www.actionlyme.org/clinical-pathologic-correlations-of-lyme-disease-by-stage-Steere-Dulay.pdf>

- **Rev Infect Dis. 1989 Sep-Oct;11 Suppl 6:S1487-93. "Clinical pathologic correlations of Lyme disease.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/2814170>

- **Lyme Disease, Molecular and Immunological Approaches:**
 - <https://www.amazon.com/Lyme-Disease-Immunologic-Approaches-Communications/dp/0879693770>

- **Ann N Y Acad Sci. 1988;539:103-11. Modulation of natural killer cell activity by *Borrelia burgdorferi*. Golightly M1, Thomas J, Volkman D, Dattwyler R.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/3056196>

- **J Exp Med. 1922 Jan 1;35(1):39-62. A STUDY OF THE RELATION OF *TREPONEMA PALLIDUM* TO LYMPHOID TISSUES IN EXPERIMENTAL SYPHILIS. Pearce L1, Brown WH.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/19868586>

- **J Exp Med. 1925 Jun 30;42(1):33-42. STUDIES IN EXPERIMENTAL SYPHILIS : IV. THE SURVIVAL OF *TREPONEMA PALLIDUM* IN THE INTERNAL ORGANS OF TREATED AND UNTREATED RABBITS. Chesney AM1, Kemp JE; Assistance of Allan K. Poole, M.D.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/19869032>

- **Sex Transm Dis. 2014 Jul;41(7):440-6. doi: 10.1097/OLQ.000000000000149. Toll-like receptor polymorphisms are associated with increased neurosyphilis risk. Marra CM1, Sahi SK, Tantaló LC, Ho EL, Dunaway SB, Jones T, Hawn TR**
 - <https://www.ncbi.nlm.nih.gov/pubmed/24922103>
 - <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4414322/>

- **Rev Infect Dis. 1989 Sep-Oct;11 Suppl 6:S1482-6. Neurologic manifestations of Lyme disease, the new "great imitator". (IDSA own Journal)**
 - <https://www.ncbi.nlm.nih.gov/pubmed/2682960>

- **J Immunol. 2004 Jan 15;172(2):1287-94. Defective control of latent Epstein-Barr virus infection in systemic lupus erythematosus. Kang I1, Quan T, Nolasco H, Park SH, Hong MS, Crouch J, Pamer EG, Howe JG, Craft J.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/14707107>

- **Int J Syst Evol Microbiol. 2016 Dec 8. doi: 10.1099/ijsem.0.001717. [Epub ahead of print] There is inadequate evidence to support the division of the genus *Borrelia*. Margos G1, Marosevic D2, Cutler S3, Derdakova M4, Diuk-Wasser M5, Emler S6,**

Fish D7, Gray J8, Hunfeld KP9, Jaulhac B10, Kahl O11, Kovalev S12, Kraiczky P13, Lane RS14, Lienhard R15, Lindgren PE16, Ogden N17, Ornstein K18, Rupprecht T19, Schwartz I20, Sing A21, Straubinger RK22, Strle F23, Voordouw M24, Rizzoli A25, Stevenson B26, Fingerle V27.

- <https://www.ncbi.nlm.nih.gov/pubmed/27930271>
- **Int J Syst Evol Microbiol. 2017 Jan 27. doi: 10.1099/ijsem.0.001815. [Epub ahead of print] Division of the genus Borrelia into two genera (corresponding to Lyme disease and relapsing fever groups) reflects their genetic and phenotypic distinctiveness and will lead to a better understanding of these two groups of microbes (Margos et al. (2016) There is inadequate evidence to support the division of the genus Borrelia. Int. J. Syst. Evol. Microbiol. doi: 10.1099/ijsem.0.001717). Barbour AG1, Adeolu M2, Gupta RS3.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/28141502>
- **Spirochetes would be found everywhere in the body and not just in the knees**
 - http://www.fda.gov/ohrms/dockets/ac/01/slides/3680s2_02_lobet.pdf
- **Clin Infect Dis. 2006 Nov 1;43(9):1089-134. Epub 2006 Oct 2. The clinical assessment, treatment, and prevention of lyme disease, human granulocytic anaplasmosis, and babesiosis: clinical practice guidelines by the Infectious Diseases Society of America. Wormser GP1, Dattwyler RJ, Shapiro ED, Halperin JJ, Steere AC, Klemperer MS, Krause PJ, Bakken JS, Strle F, Stanek G, Bockenstedt L, Fish D, Dumler JS, Nadelman RB.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/17029130>
 - <http://www.cid.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=17029130>
- **DNA and RNA primers**
 - http://en.wikipedia.org/wiki/Primer_%28molecular_biology%29
 - http://en.wikipedia.org/wiki/16S_ribosomal_RNA
- **"Unmet diagnostic needs in infectious disease" "...A number of new diagnostic technologies for ID are rapidly emerging: e.g., broad-range PCR, next generation sequencing, and matrix-assisted laser desorption/ionization time of flight mass spectrometry.**

- http://ein.idsociety.org/media/publications/papers/2014/Blaschke_DMID_14_Unmet_Diagnostic_Needs.pdf
- **J Clin Microbiol. 2014 Jan;52(1):212-7. doi: 10.1128/JCM.02270-13. Epub 2013 Nov 6. Virological diagnosis of central nervous system infections by use of PCR coupled with mass spectrometry analysis of cerebrospinal fluid samples. Lévêque N1, Legoff J, Mengelle C, Mercier-Delarue S, N'guyen Y, Renois F, Tissier F, Simon F, Izopet J, Andréoletti L.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/24197874>
- **flagellin – and not plasmid DNA (which is varied, added to- and subtracted from via bacteriophages, as well as variable within each plasmid) - is the species distinguisher.**
 - <http://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?mode=Info&id=138&lvl=3&lin=f&keep=1&srchmode=1&unlock>
- **J Bacteriol. 1983 Jun;154(3):1436-9. Bacteriophage in the Ixodes dammini spirochete, etiological agent of Lyme disease. Hayes SF, Burgdorfer W, Barbour AG.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/6853449>
 - <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC217620/pdf/jbacter00247-0414.pdf>
- **VMP-like sequences of pathogenic Borrelia ”2.1 Methods of Treatment**
 - <http://patft1.uspto.gov/netacgi/nph-Parser?Sect1=PTO1&Sect2=HITOFF&d=PALL&p=1&u=%2Fmetahtml%2FPTO%2Fsrchnum.htm&r=1&f=G&l=50&s1=6,719,983.PN.&OS=PN/6,719,983&RS=PN/6,719,983>
- **J Bacteriol. 2006 Jun; 188(12): 4522–4530. Crystal Structure of Neurotropism-Associated Variable Surface Protein 1 (Vsp1) of Borrelia turicatae† Catherine L. Lawson,1,* Brian H. Yung,1 Alan G. Barbour,2 and Wolfram R. Zückert2,3,***
 - <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1482977/>

- **An open-label, nonrandomized, single-center, prospective extension, clinical trial of booster dose schedules to assess the safety profile and immunogenicity of recombinant outer-surface protein A (OspA) Lyme disease vaccine. Schoen RT1, Deshefy-Longhi T, Van-Hoecke C, Buscarino C, Fikrig E. or (OspA_4.htm)**
 - <https://www.ncbi.nlm.nih.gov/pubmed/12637121>

- **Bull. Korean Chem. Soc. 1996, Vol. 17 Number 11 Characterization of Extremely Hydrophobic Immunostimulatory Lipoidal Peptides by Matrix-Assisted Laser Desorption ionization Mass Spectrometry Jung-Suk Jang, Sung-Taek Lee, et al, Kore**
 - http://newjournal.kcsnet.or.kr/main/j_search/j_download.htm?code=B961118

- **Detection of multiple reactive protein species by immunoblotting after recombinant outer surface protein A lyme disease vaccination. Molloy PJ1, Berardi VP, Persing DH, Sigal LH**
 - <http://www.ncbi.nlm.nih.gov/pubmed/10913394>

- **Emerg Infect Dis. 2000 Jul-Aug;6(4):319-28. Migratory birds and spread of West Nile virus in the Western Hemisphere. Rappole JH1, Derrickson SR, Hubálek Z**
 - http://wwwnc.cdc.gov/eid/pdfs/vol6no4_pdf-version.pdf

- **Int J Syst Bacteriol. 1996 Oct;46(4):898-905. Phylogenetic analysis of Borrelia species based on flagellin gene sequences and its application for molecular typing of Lyme disease borreliae. Fukunaga M1, Okada K, Nakao M, Konishi T, Sato Y.**
 - <http://ijs.sgmjournals.org/content/46/4/898.long>

- **Clin Microbiol. 1995 Sep;33(9):2427-34. Identification of novel insertion elements, restriction fragment length polymorphism patterns, and discontinuous 23S rRNA in Lyme disease spirochetes: phylogenetic analyses of rRNA genes and their intergenic spacers in Borrelia japonica sp. nov. and genomic group 21038 (Borrelia andersonii sp. nov.) isolates. Marconi RT1, Liveris D, Schwartz I.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/7494041>

- **Evolution. 2010 Sep;64(9):2653-63. doi: 10.1111/j.1558-5646.2010.01001.x. Uncoordinated phylogeography of *Borrelia burgdorferi* and its tick vector, *Ixodes scapularis*. Humphrey PT1, Caporale DA, Brisson D.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/20394659>

- **Zentralbl Bakteriell Mikrobiol Hyg A. 1986 Dec;263(1-2):65-71. Evolution of a focus of Lyme disease. Schulze TL, Shisler JK, Bosler EM, Lakat MF, Parkin WE.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/3577493>

- **African swine fever virus infection in the argasid host, *Ornithodoros porcinus porcinus*. J Virol. 1998 Mar;72(3):1711-24. Kleiboeker SB1, Burrage TG, Scoles GA, Fish D, Rock DL. 1Plum Island Animal Disease Center, Agricultural Research Service, U.S. Department of Agriculture, Greenport, New York 11944, USA.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/9499019>

- **J Hyg (Lond). 1983 Jun;90(3):441-9. Immunogenic variation among the so-called LC strains of *Mycoplasma mycoides subspecies mycoides*. Smith GR, Oliphant JC.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/6190898>

- **J Bacteriol. 1951 Aug;62(2):215-9. Relapse phenomena in rats infected with single spirochetes (*Borrelia recurrentis* var. *turicatae*). SCHUHARDT VT, WILKERSON M**
 - <https://www.ncbi.nlm.nih.gov/pubmed/14861181>
 - <http://jb.asm.org/cgi/reprint/62/2/215?view=long&pmid=14861181>

- **Oscar Felsenfeld, CDC officer Alan Barbour, Russell Johnson (ALDF member), and Diego Cadavid talking about/referencing this Single Spirochete Phenomena:**
 - http://www.ncbi.nlm.nih.gov/sites/entrez?db=pubmed&cmd=link&linkname=pubmed_pubmed_citedin&uid=14861181

- **Oral Microbiol Immunol. 2002 Apr;17(2):113-8. Molecular and immunological evidence of oral *Treponema* in the human brain and their association with Alzheimer's disease. Riviere GR1, Riviere KH, Smith KS.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/11929559>

- **The Biology of parasitic spirochetes” / edited by Russell C. Johnson Bib ID 2160125, New York ; Academic Press, 1976, ISBN 012387050X**

- **The ability of the borrelia, especially tick-borne strains to persist in the brain and in the eye after treatment with arsenic or with penicillin or even after apparent cure is well known (1). The persistence of treponemes after treatment of syphilis is a major area which currently requires additional study (3,5,10,11).”**
 - http://www.actionlyme.org/Biology_of_Parasitic_Spirochetes1976.htm

- **Microbiol Rev. 1986 Dec;50(4):381-400. Biology of Borrelia species. Barbour AG, Hayes SF.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/3540570>
 - <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC373079/pdf/microrev00055-0033.pdf>

- **Neurology. 1990 Oct;40(10):1535-40. Borrelia burgdorferi infection of the brain: characterization of the organism and response to antibiotics and immune sera in the mouse model. Pachner AR1, Itano A.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/2215944>

- **J Biol Chem. 1999 Nov 19;274(47):33419-25. Toll-like receptor 2 functions as a pattern recognition receptor for diverse bacterial products. Lien E1, Sellati TJ, Yoshimura A, Flo TH, Rawadi G, Finberg RW, Carroll JD, Espevik T, Ingalls RR, Radolf JD, Golenbock DT.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/10559223>
 - <http://www.jbc.org/content/274/47/33419.long>

- **J Immunol. 2001 Jul 15;167(2):910-8. Toll-like receptor 2-dependent inhibition of macrophage class II MHC expression and antigen processing by 19-kDa lipoprotein of Mycobacterium tuberculosis. Noss EH1, Pai RK, Sellati TJ, Radolf JD, Belisle J, Golenbock DT, Boom WH, Harding CV**
 - <http://www.ncbi.nlm.nih.gov/pubmed/1144109>

- **J Med Microbiol. 1987 May;23(3):261-7. Demonstration of spirochaetes in patients with Lyme disease with a modified silver stain. De Koning J, Bosma RB, Hoogkamp-Korstanje JA.**

- <https://www.ncbi.nlm.nih.gov/pubmed/2438410>
- <http://jmm.sgmjournals.org/content/23/3/261.long>

- **J Clin Microbiol. 1991 Apr;29(4):764-72. Morphology of Borrelia burgdorferi: structural patterns of cultured borreliae in relation to staining methods. Aberer E1, Duray PH. "The microscopic recognition of Borrelia burgdorferi in biologic fluids and tissues is difficult and challenging because of low numbers of organisms occurring as single isolated spirochetes, the apparent lack of colony formation in tissues, and differing lengths and structural morphologies.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/1716264>

- **Infect Immun. 1991 Oct;59(10):3531-5. Molecular characterization of the humoral response to the 41-kilodalton flagellar antigen of Borrelia burgdorferi, the Lyme disease agent. Berland R1, Fikrig E, Rahn D, Hardin J, Flavell RA.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/1894359>

- **This is from the new announcement July 31, 2014 regarding the FDA now about to ENFORCE their validation rules:**
 - <http://www.fda.gov/downloads/MedicalDevices/ProductsandMedicalProcedures/InVitroDiagnostics/ucm407409.pdf>

- **FDA Rules on the Validation of an Analytical Method:**
 - <http://www.fda.gov/downloads/drugs/guidancecomplianceregulatoryinformation/guidances/ucm368107.pdf>

- **Infect Immun. 1991 Oct;59(10):3531-5. Molecular characterization of the humoral response to the 41-kilodalton flagellar antigen of Borrelia burgdorferi, the Lyme disease agent. Berland R1, Fikrig E, Rahn D, Hardin J, Flavell RA.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/1894359>
 - <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC258917/pdf/iai00046-0199.pdf>

- **J Bacteriol. 1964 Sep;88:811. RECOVERY OF TREPONEMA AND BORRELIA AFTER LYOPHILIZATION. HANSON AW, CANNEFAX GR.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/14208528>
 - <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC277387/pdf/jbacter00438-0287.pdf>

- **J Med Microbiol.** 2003 Nov;52(Pt 11):1027-8. Absence of Mycoplasma species DNA in chronic fatigue syndrome. Vernon SD, Shukla SK, Reeves WC.
 - <https://www.ncbi.nlm.nih.gov/pubmed/14532349>
 - <http://jmm.sgmjournals.org/cgi/pmidlookup?view=long&pmid=14532349>

- **J Exp Med.** 1992 Sep 1;176(3):799-809. Antibody-resistant mutants of *Borrelia burgdorferi*: in vitro selection and characterization. Sădziene A1, Rosa PA, Thompson PA, Hogan DM, Barbour AG.
 - <http://www.ncbi.nlm.nih.gov/pubmed/1339462>
 - <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2119346/>

- **Infect Immun.** 1995 May;63(5):1658-62. Selection of variant *Borrelia burgdorferi* isolates from mice immunized with outer surface protein A or B. Fikrig E1, Tao H, Barthold SW, Flavell RA.
 - <http://www.ncbi.nlm.nih.gov/pubmed/7729870>
 - <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC173206/>

- **VMP-like sequences of pathogenic *Borrelia* "2.1 Methods of Treatment**
 - <http://patft1.uspto.gov/netacgi/nph-Parser?Sect1=PTO1&Sect2=HITOFF&d=PALL&p=1&u=%2Fnethtml%2FPTO%2Fsrchnum.htm&r=1&f=G&l=50&s1=6,719,983.PN.&OS=PN/6,719,983&RS=PN/6,719,983>

- **Diagnostic tests for a new spirochete, *Borrelia lonestari* sp. Nov**
 - <http://patft.uspto.gov/netacgi/nph-Parser?Sect1=PTO1&Sect2=HITOFF&d=PALL&p=1&u=%2Fnethtml%2FPTO%2Fsrchnum.htm&r=1&f=G&l=50&s1=5%2C932%2C220.PN.&OS=PN%2F5%2C932%2C220&RS=PN%2F5%2C932%2C220>

- **J Clin Microbiol.** 1992 Dec;30(12):3082-8. Diagnosis of early Lyme disease by polymerase chain reaction amplification and culture of skin biopsies from erythema migrans lesions. Schwartz II, Wormser GP, Schwartz JJ, Cooper D, Weissensee P, Gazumyan A, Zimmermann E, Goldberg NS, Bittker S, Campbell GL, Pavia CS
 - <http://www.ncbi.nlm.nih.gov/pubmed/1452688>

- <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC270592/pdf/jcm00036-0064.pdf>

- **J Clin Microbiol. 1999 Mar;37(3):565-9. 1999 - Genetic diversity of *Borrelia burgdorferi* in lyme disease patients as determined by culture versus direct PCR with clinical specimens. Liveris D1, Varde S, Iyer R, Koenig S, Bittker S, Cooper D, McKenna D, Nowakowski J, Nadelman RB, Wormser GP, Schwartz I**
 - <http://www.ncbi.nlm.nih.gov/pubmed/9986813>

- **J Infect Dis. 1996 Feb;173(2):403-9. Identification of an uncultivable *Borrelia* species in the hard tick *Amblyomma americanum*: possible agent of a Lyme disease-like illness. Barbour AG1, Maupin GO, Teltow GJ, Carter CJ, Piesman J.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/8568302>

- **Clin Infect Dis. 2005 Feb 1;40(3):423-8. Epub 2005 Jan 10. Microbiologic evaluation of patients from Missouri with erythema migrans. Wormser GP1, Masters E, Liveris D, Nowakowski J, Nadelman RB, Holmgren D, Bittker S, Cooper D, Wang G, Schwartz I.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/15668867>
 - <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2773674/>

- **J Bacteriol. 2003 Feb;185(4):1346-56. Glycerol-3-phosphate acquisition in spirochetes: distribution and biological activity of glycerophosphodiester phosphodiesterase (GlpQ) among *Borrelia* species. Schwan TG1, Battisti JM, Porcella SF, Raffel SJ, Schrumpf ME, Fischer ER, Carroll JA, Stewart PE, Rosa P, Somerville GA.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/12562805>
 - <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC142843/>

- **Clin Infect Dis. 2005 Feb 1;40(3):423-8. Epub 2005 Jan 10. Microbiologic evaluation of patients from Missouri with erythema migrans. Wormser GP1, Masters E, Liveris D, Nowakowski J, Nadelman RB, Holmgren D, Bittker S, Cooper D, Wang G, Schwartz I**
 - <https://www.ncbi.nlm.nih.gov/pubmed/15668867>

- **N Engl J Med. 2001 Jul 12;345(2):85-92. Two controlled trials of antibiotic treatment in patients with persistent symptoms and a history of Lyme disease. Klempner MS1, Hu LT, Evans J, Schmid CH, Johnson GM, Trevino RP, Norton D, Levy L, Wall D, McCall J, Kosinski M, Weinstein A.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/11450676>
 - <http://www.nejm.org/doi/full/10.1056/NEJM200107123450202#t=articleMethods>

- **J Infect Dis. 1996 Sep;174(3):623-7. Detection of Borrelia burgdorferi DNA by polymerase chain reaction in cerebrospinal fluid in Lyme neuroborreliosis. Nocton JJ1, Bloom BJ, Rutledge BJ, Persing DH, Logigian EL, Schmid CH, Steere AC.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/8769624>
 - <http://jid.oxfordjournals.org/content/174/3/623.full.pdf>

- **Vector Borne Zoonotic Dis. 2001 Spring;1(1):21-34. A relapsing fever group spirochete transmitted by Ixodes scapularis ticks. Scoles GA1, Papero M, Beati L, Fish D.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/12653133>

- **Detection of Attenuated, Noninfectious Spirochetes in Borrelia burgdorferi–Infected Mice after Antibiotic Treatment**
 - <http://jid.oxfordjournals.org/content/186/10/1430.long>

- **J Clin Microbiol. 2001 Feb;39(2):494-7. Lone star tick-infecting borreliae are most closely related to the agent of bovine borreliosis. Rich SM1, Armstrong PM, Smith RD, Telford SR 3rd.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/11158095>

- **Immunol. 1995 Dec 15;155(12):5700-4. An ospA frame shift, identified from DNA in Lyme arthritis synovial fluid, results in an outer surface protein A that does not bind protective antibodies. Fikrig E1, Liu B, Fu LL, Das S, Smallwood JI, Flavell RA, Persing DH, Schoen RT, Barthold SW, Malawista SE.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/7499856>

- **J Clin Microbiol.** 1997 Jan;35(1):233-8. **Borrelia burgdorferi** enzyme-linked immunosorbent assay for discrimination of OspA vaccination from spirochete infection. Zhang YQ1, Mathiesen D, Kolbert CP, Anderson J, Schoen RT, Fikrig E, Persing DH.
 - <http://www.ncbi.nlm.nih.gov/pubmed/8968914>
 - <http://jcm.asm.org/content/35/1/233.full.pdf>

- **Microbiol.** 1995 Jun;146(5):415-24. Two geographically distinct isolates of **Borrelia burgdorferi** from the United States share a common unique ancestor. Kolbert CP1, Podzorski DS, Mathiesen DA, Wortman AT, Gazumyan A, Schwartz I, Persing DH.
 - <http://www.ncbi.nlm.nih.gov/pubmed/8525058>

- **J Infect Dis.** 1997 Jan;175(1):98-107. Genetic heterogeneity of **Borrelia burgdorferi** in the United States. Mathiesen DA1, Oliver JH Jr, Kolbert CP, Tullson ED, Johnson BJ, Campbell GL, Mitchell PD, Reed KD, Telford SR 3rd, Anderson JF, Lane RS, Persing DH
 - <http://www.ncbi.nlm.nih.gov/pubmed/8985202>
 - <http://jid.oxfordjournals.org/content/175/1/98.long>
 - Citing Authors <http://jid.oxfordjournals.org/cgi/crossref-forward-links/175/1/98>

- 1992-1994 -- **J Infect Dis.** 1994 Feb;169(2):313-8. Antibody responses to the three genomic groups of **Borrelia burgdorferi** in European Lyme borreliosis. Dressler F1, Ackermann R, Steere AC.
 - <http://www.ncbi.nlm.nih.gov/pubmed/8106763>

- **J Clin Microbiol.** 1992 Mar;30(3):628-32. Species-specific identification of and distinction between **Borrelia burgdorferi** genomic groups by using 16S rRNA-directed oligonucleotide probes. Marconi RT1, Lubke L, Hauglum W, Garon CF.
 - <http://www.ncbi.nlm.nih.gov/pubmed/1280643>
 - <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC270537/>

- **N Engl J Med.** 1994 Jan 27;330(4):229-34. Detection of **Borrelia burgdorferi** DNA by polymerase chain reaction in synovial fluid from patients with Lyme arthritis. Nocton JJ1, Dressler F, Rutledge BJ, Rys PN, Persing DH, Steere AC.
 - <http://www.ncbi.nlm.nih.gov/pubmed/8272083>

- <http://www.nejm.org/doi/full/10.1056/NEJM199401273300401>
- **J Infect Dis. 1996 Sep;174(3):623-7. Detection of Borrelia burgdorferi DNA by polymerase chain reaction in cerebrospinal fluid in Lyme neuroborreliosis. Nocton JJ1, Bloom BJ, Rutledge BJ, Persing DH, Logigian EL, Schmid CH, Steere AC.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/8769624>
 - <http://jid.oxfordjournals.org/content/174/3/623.long>
- **Clin Infect Dis. 2006 Nov 1;43(9):1089-134. Epub 2006 Oct 2. The clinical assessment, treatment, and prevention of lyme disease, human granulocytic anaplasmosis, and babesiosis: clinical practice guidelines by the Infectious Diseases Society of America. Wormser GP1, Dattwyler RJ, Shapiro ED, Halperin JJ, Steere AC, Klemperer MS, Krause PJ, Bakken JS, Strle F, Stanek G, Bockenstedt L, Fish D, Dumler JS, Nadelman RB.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/17029130>

Charge Sheet 5

- **J Leukoc Biol. 2013 Aug;94(2):291-300. doi: 10.1189/jlb.0812401. Epub 2013 May 21. IRAK4 kinase activity is not required for induction of endotoxin tolerance but contributes to TLR2- mediated tolerance. Xiong Y1, Pennini M, Vogel SN, Medvedev AE**
 - <https://www.ncbi.nlm.nih.gov/pubmed/23695305>
 - <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3714565/>
- **J Immunol. 2012 Feb 1;188(3):1019-26. doi: 10.4049/jimmunol.1102181. Epub 2012 Jan 6. TLR2 signaling depletes IRAK1 and inhibits induction of type I IFN by TLR7/9. Liu YC1, Simmons DP, Li X, Abbott DW, Boom WH, Harding CV.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/22227568>
- **Nat Rev Dis Primers. 2016 Dec 15;2:16090. doi: 10.1038/nrdp.2016.90. Lyme borreliosis. Steere AC1,2, Strle F3, Wormser GP4, Hu LT5, Branda JA6, Hovius JW7, Li X8, Mead PS9.**

- <https://www.ncbi.nlm.nih.gov/pubmed/27976670>
- **Mario Philipp at Tulane has long been the scientist who says Borrelia and OspA cause immunosuppression via IL-10, so look at all of his reports:**
 - <https://www.ncbi.nlm.nih.gov/pubmed/?term=Philipp+and+borrelia>
- **Infect Immun. 2006 Oct;74(10):5780-9. Interleukin-10 anti-inflammatory response to Borrelia burgdorferi, the agent of Lyme disease: a possible role for suppressors of cytokine signaling 1 and 3. Dennis VA1, Jefferson A, Singh SR, Ganapamo F, Philipp MT.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/16988256>
- **Arthritis Rheum. 2012 May;64(5):1311-5. doi: 10.1002/art.34386. The Toll of a TLR1 polymorphism in lyme disease: a tale of mice and men. Sellati TJ, Sahay B, Wormser GP.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/22246662>
- **FEMS Immunol Med Microbiol. 2000 Jul;28(3):193-6. Modulation of lymphocyte proliferative responses by a canine Lyme disease vaccine of recombinant outer surface protein A (OspA). Chiao JW1, Villalon P, Schwartz I, Wormser GP.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/10865170>
- **The recently-former Director of the National Institute of Mental Health, Thomas Insel, said the following about psychiatry**
 - <http://www.nimh.nih.gov/about/director/2013/transforming-diagnosis.shtml>
- **The case against science is straightforward: much of the scientific literature, perhaps half, may simply be untrue,” Dr. Horton commented in The Lancet.**
 - <http://newswire.net/newsroom/news/00088806-world-s-top-scientists-agree-most-researches-findings-are-fraud.html>
- **J Clin Microbiol. 1992 Dec;30(12):3158-62. Comparison of whole-cell antibodies and an antigenic flagellar epitope of Borrelia burgdorferi in serologic tests for diagnosis of Lyme borreliosis. Magnarelli LA1, Fikrig E, Berland R, Anderson JF, Flavell RA.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/1280650>

- **Infect Immun. 1991 Oct;59(10):3531-5. Molecular characterization of the humoral response to the 41-kilodalton flagellar antigen of *Borrelia burgdorferi*, the Lyme disease agent. Berland R1, Fikrig E, Rahn D, Hardin J, Flavell RA.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/1894359>
 - <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC258917/>

- **J Neuropathol Exp Neurol. 2006 Jun;65(6):540-8. *Borrelia burgdorferi* Induces TLR1 and TLR2 in human microglia and peripheral blood monocytes but differentially regulates HLA-class II expression. Cassiani-Ingoni R1, Cabral ES, Lünemann JD, Garza Z, Magnus T, Gelderblom H, Munson PJ, Marques A, Martin R.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/16783164>

- **J Infect Dis. 2006 Mar 15;193(6):849-59. Epub 2006 Feb 8. *Borrelia burgdorferi* lipoprotein-mediated TLR2 stimulation causes the down-regulation of TLR5 in human monocytes. Cabral ES1, Gelderblom H, Hornung RL, Munson PJ, Martin R, Marques AR.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/16479520>

- **Infect Dis. 2006 Nov 1;43(9):1089-134. Epub 2006 Oct 2. The Clinical Assessment, Treatment, and Prevention of Lyme Disease, Human Granulocytic Anaplasmosis, and Babesiosis: Clinical Practice Guidelines by the Infectious Diseases Society of America Gary P. Wormser, Raymond J. Dattwyler, Eugene D. Shapiro, John J. Halperin, Allen C. Steere , Mark S. Klempner, Peter J. Krause, Johan S. Bakken, Franc Strle, Gerold Stanek, Linda Bockenstedt, Durland Fish, J. Stephen Dumler, Robert B. Nadelman**
 - <https://www.ncbi.nlm.nih.gov/pubmed/17029130>
 - <http://cid.oxfordjournals.org/content/43/9/1089.long>

- **J Infect Dis. 1992 Aug;166(2):440-4. Fibroblasts protect the Lyme disease spirochete, *Borrelia burgdorferi*, from ceftriaxone in vitro. Georgilis K1, Peacocke M, Klempner MS.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/1634816>

- **J Immunol.** 2001 Jul 15;167(2):910-8. Toll-like receptor 2-dependent inhibition of macrophage class II MHC expression and antigen processing by 19-kDa lipoprotein of *Mycobacterium tuberculosis*. Noss EH1, Pai RK, Sellati TJ, Radolf JD, Belisle J, Golenbock DT, Boom WH, Harding CV.
 - <http://www.jimmunol.org/cgi/content/full/167/2/910>

- **J Peripher Nerv Syst.** 2004 Sep;9(3):165-7. Neuropathy and cognitive impairment following vaccination with the OspA protein of *Borrelia burgdorferi*. Latov N1, Wu AT, Chin RL, Sander HW, Alaedini A, Brannagan TH 3rd.
 - <http://www.ncbi.nlm.nih.gov/pubmed/15363064>

- **Int J Risk Saf Med.** 2011;23(2):89-96. doi: 10.3233/JRS-2011-0527. Neurological complications of vaccination with outer surface protein A (OspA). Marks DH1.
 - <http://www.ncbi.nlm.nih.gov/pubmed/21673416>

- **J Infect Dis.** 2005 Sep 15;192(6):1010-3. Epub 2005 Aug 4. A case-control study to examine HLA haplotype associations in patients with posttreatment chronic Lyme disease. Klempner MS1, Wormser GH, Wade K, Trevino RP, Tang J, Kaslow RA, Schmid C.
 - <http://jid.oxfordjournals.org/content/192/6/1010.full>

- **Clin Exp Immunol.** 2000 May;120(2):274-9. The 19-kD antigen and protective immunity in a murine model of tuberculosis. Yermeev VV1, Lyadova IV, Nikonenko BV, Apt AS, Abou-Zeid C, Inwald J, Young DB.
 - <http://www.ncbi.nlm.nih.gov/pubmed/10792376>

- **Infect Immun.** 2001 Mar;69(3):1433-9. *Mycobacterium tuberculosis* 19-kilodalton lipoprotein inhibits *Mycobacterium smegmatis*-induced cytokine production by human macrophages in vitro. Post FA1, Manca C, Neyrolles O, Ryffel B, Young DB, Kaplan G.
 - <http://www.ncbi.nlm.nih.gov/pubmed/11179309>

- **Infect Immun.** 2003 Jun;71(6):3146-54. The *Mycobacterium tuberculosis* recombinant 27-kilodalton lipoprotein induces a strong Th1- type immune response deleterious to protection. Hovav AH1, Mullerad J, Davidovitch L, Fishman Y, Bigi F, Cataldi A, Bercovier H

- <https://www.ncbi.nlm.nih.gov/pubmed/12761093>
- <http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=12761093>
- **Ann N Y Acad Sci. 1988;539:103-11. Modulation of natural killer cell activity by Borrelia burgdorferi. Golightly M1, Thomas J, Volkman D, Dattwyler R**
 - <http://www.ncbi.nlm.nih.gov/pubmed/3056196>
- **Rheum Dis Clin North Am. 1989 Nov;15(4):747-55. Treatment of Lyme borreliosis. Luft BJ1, Dattwyler RJ.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/2555849>
- **PLoS Pathog. 2015 Jul 2;11(7):e1004976. doi: 10.1371/journal.ppat.1004976. eCollection 2015. Suppression of Long-Lived Humoral Immunity Following Borrelia burgdorferi Infection. Elsner RA1, Hastey CJ1, Olsen KJ2, Baumgarth N3.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/26136236>
 - **More:**
 - <https://www.ncbi.nlm.nih.gov/pubmed/?term=baumgarth+and+borrelia>
 - <https://www.ncbi.nlm.nih.gov/pubmed/?term=bartold+SW+and+borrelia>
- **FEMS Immunol Med Microbiol. 2000 Jul;28(3):193-6. Modulation of lymphocyte proliferative responses by a canine Lyme disease vaccine of recombinant outer surface protein A (OspA). Chiao JW1, Villalon P, Schwartz I, Wormser GP**
 - <http://www.ncbi.nlm.nih.gov/pubmed/10865170>
- **J Med Genet. 2002 Mar;39(3):170-7. Organisation of the pericentromeric region of chromosome 15: at least four partial gene copies are amplified in patients with a proximal duplication of 15q. Fantes JA1, Mewborn SK, Lese CM, Hedrick J, Brown RL, Dyomin V, Chaganti RS, Christian SL, Ledbetter DH.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/11897815>
- **if it is well-known that NF1 and Autism co-occur at a very high rate, there must be a genetic form of Autism as well as the brain damage kind from vaccines, which should be called “Brain Damage from Vaccine Viruses” and not Autism:**
 - <https://www.ncbi.nlm.nih.gov/pubmed/?term=Neurofibromatosis+and+Autism>

- The first step in dysimmunity, one could claim, is the inhibition of apoptosis.
 - <https://www.ncbi.nlm.nih.gov/pubmed/?term=EBV+and+BCL2>

- Paul Duray J Clin Microbiol. 1991 Apr;29(4):764-72. Morphology of Borrelia burgdorferi: structural patterns of cultured borreliae in relation to staining methods. Aberer E1, Duray PH
 - <http://www.ncbi.nlm.nih.gov/pubmed/1716264>

- "When Lyme Disease Lasts and Lasts," by Jane Brody in the New York Times. "Complicating the picture is the fact that some people with PTLDS symptoms apparently never had Lyme disease in the first place,' Dr. Marques said in an interview. 'There are other infectious organisms— Epstein-Barr virus, for example—that can produce similar symptoms and may be the real culprits.'"
 - <http://well.blogs.nytimes.com/2013/07/08/when-lyme-disease-lasts-and-lasts/>

- "Surviving Sepsis: Detection and Treatment Advances" by Carolyn Beans for the National Institutes of Health, August 18, 2014
 - <http://www.livescience.com/47387-sepsis-diagnosis-treatment-research-nigms.html>

- Dormant viruses re-emerge in patients with lingering sepsis, signaling immune suppression
 - <http://news.wustl.edu/news/Pages/27015.aspx>

- PLoS One. 2014 Jun 11;9(2):e98819. doi: 10.1371/journal.pone.0098819. eCollection 2014. Reactivation of multiple viruses in patients with sepsis. Walton AH1, Muenzer JT2, Rasche D1, Boomer JS3, Sato B4, Brownstein BH1, Pachot A5, Brooks TL3, Deych E3, Shannon WD3, Green JM3, Storch GA2, Hotchkiss RS1.
 - <https://www.ncbi.nlm.nih.gov/pubmed/24919177>
 - <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0098819>

- Paul Auwaerter, specializes in only Lyme and herpesviruses:
 - <http://www.hopkinsmedicine.org/profiles/results/directory/profile/0000525/paul-auwaerter>

- **Brigitte Huber of Tufts, former partner with Allen Steere in “Lyme is Only a Bad Knee Theatre,” who now specializes in ONLY herpesviruses (actually, claiming EBV could be reactivating a human endogenous retrovirus or a HERV):**
 - <http://www.ncbi.nlm.nih.gov/pubmed/?term=huber+bt+and+epstein-barr>

- **Rev Infect Dis. 1989 Sep-Oct;11 Suppl 6:S1487-93. Clinical pathologic correlations of Lyme disease. Duray PH1. "Immature B cells can also be seen in the spinal fluid. These cells can appear quite atypical- not unlike those of transformed or neoplastic lymphocytes."**
 - <http://www.ncbi.nlm.nih.gov/pubmed/2814170>

- **J Neuropathol Exp Neurol. 2006 Jun;65(6):540-8. Borrelia burgdorferi Induces TLR1 and TLR2 in human microglia and peripheral blood monocytes but differentially regulates HLA-class II expression. Cassiani-Ingoni R1, Cabral ES, Lünemann JD, Garza Z, Magnus T, Gelderblom H, Munson PJ, Marques A, Martin R.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/16783164>

- **NIAID director Anthony Fauci says this in his patent for IL-2 as an immune booster. He lists fungi and common opportunistics, ...**
 - <http://patft.uspto.gov/netacgi/nph-Parser?Sect1=PTO1&Sect2=HITOFF&d=PALL&p=1&u=/netahtml/PTO/srchnum.htm&r=1&f=G&l=50&s1=5,696,079.PN.&OS=PN/5,696,079&RS=PN/5,696,079>

- **BMC Infect Dis. 2006 Jan 31;6:15. Preliminary evidence of mitochondrial dysfunction associated with post-infective fatigue after acute infection with Epstein Barr virus. Vernon SD1, Whistler T, Cameron B, Hickie IB, Reeves WC, Lloyd A**
 - <http://www.ncbi.nlm.nih.gov/pubmed/16448567>

- **J Med Microbiol. 2003 Nov;52(Pt 11):1027-8. Absence of Mycoplasma species DNA in chronic fatigue syndrome. Vernon SD, Shukla SK, Reeves WC**
 - <https://www.ncbi.nlm.nih.gov/pubmed/14532349>
 - <http://jmm.sgmjournals.org/content/52/11/1027.long>

- **Berl Munch Tierarztl Wochenschr. 1992 Nov 1;105(11):380-3. [The effect of Eperythrozoon suis infection on the osmotic fragility of erythrocytes]. [Article in German] Heinritzi K1, Plank G.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/1471973>

- **Cell Death Differ. 2004 Nov;11(11):1204-12. Mycoplasma fermentans inhibits tumor necrosis factor alpha-induced apoptosis in the human myelomonocytic U937 cell line. Gerlic M1, Horowitz J, Horowitz S.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/15286682>
 - <http://www.nature.com/cdd/journal/v11/n11/full/4401482a.html>

- **Trends Microbiol. 2008 Apr;16(4):173-80. doi: 10.1016/j.tim.2008.02.001. Epub 2008 Mar 18. Staying alive: bacterial inhibition of apoptosis during infection. Faherty CS1, Maurelli AT.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/18353648>

- **Tolerance and Cross Tolerance**
 - <http://www.ncbi.nlm.nih.gov/pubmed/?term=medvedev+ae+and+tolerance>

- **J Innate Immun. 2016;8(2):171-84. doi: 10.1159/000440838. Epub 2015 Oct 13. Endotoxin Tolerance Inhibits Lyn and c-Src Phosphorylation and Association with Toll-Like Receptor 4 but Increases Expression and Activity of Protein Phosphatases. Xiong Y1, Murphy M, Manavalan TT, Pattabiraman G, Qiu F, Chang HH, Ho IC, Medvedev AE. "Endotoxin tolerance protects the host by limiting excessive 'cytokine storm' during sepsis, but compromises the ability to counteract infections in septic shock survivors.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/26457672>

- **Multiple Sclerosis and EBV**
 - <http://www.ncbi.nlm.nih.gov/pubmed/?term=multiple+sclerosis+and+virus+and+DNA>

- **What is Bell's Palsy caused by?**
 - <http://www.ncbi.nlm.nih.gov/pubmed/?term=bell%27s+palsy+and+Epstein-Barr>

- **Rituximab PLoS One. 2011;6(10):e26358. doi: 10.1371/journal.pone.0026358. Epub 2011 Oct 19. Benefit from B-lymphocyte depletion using the anti-CD20 antibody rituximab in chronic fatigue syndrome. A double-blind and placebo-controlled study. Fluge Ø1, Bruland O, Risa K, Storstein A, Kristoffersen EK, Sapkota D, Næss H, Dahl O, Nyland H, Mella O.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/22039471>

- **PLoS One. 2015 Jul 1;10(7):e0129898. doi: 10.1371/journal.pone.0129898. eCollection 2015. B-Lymphocyte Depletion in Myalgic Encephalopathy/ Chronic Fatigue Syndrome. An Open-Label Phase II Study with Rituximab Maintenance Treatment. Fluge Ø1, Risa K1, Lunde S1, Alme K1, Rekeland IG1, Sapkota D2, Kristoffersen EK3, Sørland K1, Bruland O4, Dahl O5, Mella O5.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/26132314>

- **J Neurol Sci. 1993 Jul;117(1-2):206-14. Reactivity of neuroborreliosis patients (Lyme disease) to cardiolipin and gangliosides. García Moncá JC1, Wheeler CM, Benach JL, Furie RA, Lukehart SA, Stanek G, Steere AC.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/8410057>

- **J Immunol. 2004 Jan 15;172(2):1287-94. Defective control of latent Epstein-Barr virus infection in systemic lupus erythematosus. Kang I1, Quan T, Nolasco H, Park SH, Hong MS, Crouch J, Pamer EG, Howe JG, Craft J. “**
 - <http://www.ncbi.nlm.nih.gov/pubmed/14707107>

- **China. Remember Pam3Cys is the basic molecule of LYMERix or OspA and others shed by Borrelia: PLoS One. 2014 Jan 28;9(1):e87528. doi: 10.1371/journal.pone.0087528. eCollection 2014. A20 is critical for the induction of Pam3CSK4-tolerance in monocytic THP-1 cells. Hu J1, Wang G2, Liu X1, Zhou L3, Jiang M1, Yang L4.**
 - <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3905037/>

- **Poland, 2013 Pol J Microbiol. 2013;62(3):237-42. The influence of toll-like receptor stimulation on expression of EBV lytic genes. Siennicka J1, Trzcińska A2, Cześćik A2, Dunal-Szczepaniak M2, Lagosz B2**
 - <http://www.ncbi.nlm.nih.gov/pubmed/24459828>

- **J Immunol. 2009 Feb 15;182(4):1799-809. doi: 10.4049/jimmunol.0802686. Down-regulation of MHC class II expression through inhibition of CIITA transcription by lytic transactivator Zta during Epstein-Barr virus reactivation. Li D1, Qian L, Chen C, Shi M, Yu M, Hu M, Song L, Shen B, Guo N.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/19201831>

- **Herpesviridae. 2011 Jan 5;2(1):1. doi: 10.1186/2042-4280-2-1. Innate immune modulation in EBV infection. Ning S1.**
 - <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3063194/?tool=pubmed>

- **J Virol. 2002 Aug;76(16):8179-88. The lytic cycle of Epstein-Barr virus is associated with decreased expression of cell surface major histocompatibility complex class I and class II molecules. Keating S1, Prince S, Jones M, Rowe M.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/12134023>

- **Semin Cancer Biol. 2008 Dec;18(6):397-408. doi: 10.1016/j.semcancer.2008.10.008. Epub 2008 Oct 25. Epstein-Barr virus evasion of CD8(+) and CD4(+) T cell immunity via concerted actions of multiple gene products. Rensing ME1, Horst D, Griffin BD, Tellam J, Zuo J, Khanna R, Rowe M, Wiertz EJ**
 - <http://www.ncbi.nlm.nih.gov/pubmed/18977445>

- **J Immunol. 2012 Feb 1;188(3):1019-26. doi: 10.4049/jimmunol.1102181. Epub 2012 Jan 6. TLR2 signaling depletes IRAK1 and inhibits induction of type I IFN by TLR7/9. Liu YC1, Simmons DP, Li X, Abbott DW, Boom WH, Harding CV**
 - <http://www.ncbi.nlm.nih.gov/pubmed/22227568>

- **What causes Lymphoma?**
 - <http://www.ncbi.nlm.nih.gov/pubmed/?term=immunosuppression+and+lymphoma+and+epstein-barr>

- **It being empirically observed that Lyme helps activate EBV: Folia Biol (Praha). 2003;49(1):40-8. Interaction of Borrelia burgdorferi sensu lato with Epstein-Barr virus in lymphoblastoid cells. Hulínská D1, Roubalová K, Schramlová J.**

- <http://www.ncbi.nlm.nih.gov/pubmed/12630667>
- It being empirically observed that the Cabal has observed that Lyme causes immunosuppression: *Borrelia burgdorferi*-induced tolerance as a model of persistence via immunosuppression
 - <http://www.ncbi.nlm.nih.gov/pubmed/12819085>
- Mario Philipp (Tulane) has for years said OspA was associated with the production of the immunosuppressive cytokine, IL-10 (this was mentioned to the FDA by Dickson, Jan 31, 2001)
 - <http://www.ncbi.nlm.nih.gov/pubmed/?term=Philipp+and+OspA+and+il-10>
- Infect Immun. 2006 Oct;74(10):5780-9. Interleukin-10 anti-inflammatory response to *Borrelia burgdorferi*, the agent of Lyme disease: a possible role for suppressors of cytokine signaling 1 and 3. Dennis VA1, Jefferson A, Singh SR, Ganapamo F, Philipp MT.
 - <http://www.ncbi.nlm.nih.gov/pubmed/16988256>
- Lymphoma and leukemia in TRANSPLANT recipients (from reactivated EBV, et al, from the immunosuppression drugs they must take)
 - [https://www.ncbi.nlm.nih.gov/pubmed/?term=organ+transplant+and+epstein-barr+and+\(leukemia+or+lymphoma\)](https://www.ncbi.nlm.nih.gov/pubmed/?term=organ+transplant+and+epstein-barr+and+(leukemia+or+lymphoma))
- Coxsackie in Chronic Fatigue Muscles and Ticks, also very cute. Br Med Bull. 1991 Oct;47(4):852-71. Persistent virus infection of muscle in postviral fatigue syndrome. Cunningham L1, Bowles NE, Archard LC.
 - <https://www.ncbi.nlm.nih.gov/pubmed/1665379>
- J Clin Microbiol. 2005 Jul;43(7):3471-3. Possible tick-borne human enterovirus resulting in aseptic meningitis. Freundt EC1, Beatty DC, Stegall-Faulk T, Wright SM.
 - <https://www.ncbi.nlm.nih.gov/pubmed/16000481>
- J Exp Med. 2013 Jan 14;210(1):59-70. doi: 10.1084/jem.20121801. Epub 2013 Jan 7. A mutated B cell chronic lymphocytic leukemia subset that recognizes and responds to fungi. Hoogeboom R1, van Kessel KP, Hochstenbach F, Wormhoudt TA, Reinten RJ, Wagner K, Kater AP, Guikema JE, Bende RJ, van Noesel CJ.

- <http://www.ncbi.nlm.gov/pubmed/23296468>

Charge Sheet 6

- **Pediatrics. 2003 Sep;112(3 Pt 1):604-6. Thimerosal and the occurrence of autism: negative ecological evidence from Danish population-based data. Madsen KM1, Lauritsen MB, Pedersen CB, Thorsen P, Plesner AM, Andersen PH, Mortensen PB.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/12949291>
- **Am J Public Health. 2004 Jun;94(6):990-5. Vaccine risk perception among reporters of autism after vaccination: vaccine adverse event reporting system 1990-2001. Woo EJ1, Ball R, Bostrom A, Shadomy SV, Ball LK, Evans G, Braun M.**
 - <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1448378/>
- **Proc Natl Acad Sci U S A. 1999 Oct 12;96(21):12102-7. An infection-based model of neurodevelopmental damage. Hornig M1, Weissenböck H, Horscroft N, Lipkin WI.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/10518583>
 - <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC18419/>
 - **More:**
<https://www.ncbi.nlm.nih.gov/pubmed/?term=borna+virus+and+autism>
- **Plotkin, 1975: Am J Dis Child. 1975 Apr;129(4):444-9. Routes of fetal infection and mechanisms of fetal damage. Plotkin SA.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/165711>
- **Brain Behav Immun. 2015 Aug;48:301-12. doi: 10.1016/j.bbi.2015.04.020. Epub 2015 May 27. Postnatal TLR2 activation impairs learning and memory in adulthood. Madar R1, Rotter A1, Waldman Ben-Asher H2, Mughal MR3, Arumugam TV4, Wood WH 3rd3, Becker KG3, Mattson MP5, Okun E6.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/26021559>
- **Research Fraud by CDC officer Suzanne Vernon – trying to make it appear mycoplasma or global immunosuppression is not a factor in Chronic Fatigue Syndrome/Myalgic Encephalomyelitis: J Med Microbiol. 2003 Nov;52(Pt 11):1027-**

8. Absence of Mycoplasma species DNA in chronic fatigue syndrome. Vernon SD, Shukla SK, Reeves WC.

- <https://www.ncbi.nlm.nih.gov/pubmed/14532349>
- <http://jmm.sgmjournals.org/content/52/11/1027.long>

- **J Virol. 1999 Oct;73(10):8791-7. Altered virulence of vaccine strains of measles virus after prolonged replication in human tis sue. Valsamakis A1, Auwaerter PG, Rima BK, Kaneshima H, Griffin DE**
 - <https://www.ncbi.nlm.nih.gov/pubmed/10482633>

- **J Infect Dis. 1999 Oct;180(4):950-8. Measles virus infection in rhesus macaques: altered immune responses and comparison of the virulence of six different virus strains. Auwaerter PG1, Rota PA, Elkins WR, Adams RJ, DeLozier T, Shi Y, Bellini WJ, Murphy BR, Griffin DE**
 - <https://www.ncbi.nlm.nih.gov/pubmed/10479117>

- **Medscape Infectious Diseases > Auwaerter on Infectious Diseases COMMENTARY Candida auris: Time to Prick Up Your Ears? Paul G. Auwaerter, MD “Hello. This is Paul Auwaerter, speaking for Medscape Infectious Diseases and from Johns Hopkins University School of Medicine. “Candida and antifungal resistance, to me as a nonmycologist, seems relatively static...”**
 - <http://www.medscape.com/viewarticle/872986>

- **The MMR Monograph warns against babies actually getting the live viruses or potentially pregnant women (clue), but essentially sloughs off (like a snake) responsibility/liability on the injecting pediatrician:**
 - http://www.merck.com/product/usa/pi_circulars/m/mmr_ii/mmr_ii_pi.pdf

- **Adverse Effects of Vaccines: Evidence and Causality. Show details Committee to Review Adverse Effects of Vaccines; Institute of Medicine; Stratton K, Ford A, Rusch E, et al., editors. Washington (DC): National Academies Press (US); 2011 Aug 25.**
 - <https://www.ncbi.nlm.nih.gov/books/NBK190025/>

- Ugeskr Laeger. 1992 Jul 13;154(29):2008-13. [Duration of immunity and occurrence of secondary vaccine failure following vaccination against measles, mumps and rubella]. [Article in Danish]
 - <https://www.ncbi.nlm.nih.gov/pubmed/1509566>

- Vaccine. 2017 Mar 1;35(9):1216-1226. doi: 10.1016/j.vaccine.2017.01.048. Epub 2017 Feb 3. Safety of live vaccinations on immunosuppressive therapy in patients with immune-mediated inflammatory diseases, solid organ transplantation or after bone-marrow transplantation - A systematic review of randomized trials, observational studies and case reports. Croce E1, Hatz C2, Jonker EF3, Visser LG3, Jaeger VK4, Bühler S5.
 - <https://www.ncbi.nlm.nih.gov/pubmed/28162821>

- Vaccine. 2003 Sep 8;21(25-26):3954-60. Unintended events following immunization with MMR: a systematic review. Jefferson T1, Price D, Demicheli V, Bianco E; European Research Program for Improved Vaccine Safety Surveillance (EUSAFEVAC) Project
 - <https://www.ncbi.nlm.nih.gov/pubmed/12922131>

- CDC's Patent, US # 7,632,510, admitting people can get the diseases from the vaccines
 - <http://patft.uspto.gov/netacgi/nph-Parser?Sect1=PTO1&Sect2=HITOFF&d=PALL&p=1&u=%2Fmetahtml%2FPTO%2Fsrchnum.htm&r=1&f=G&l=50&s1=7,632,510.PN.&OS=PN/7,632,510&RS=PN/7,632,510>

- Measles, Mumps, and Rubella -- Vaccine Use and Strategies for Elimination of Measles, Rubella, and Congenital Rubella Syndrome and Control of Mumps: Recommendations of the Advisory Committee on Immunization Practices (ACIP)
 - <http://www.cdc.gov/mmwr/preview/mmwrhtml/00053391.htm>

- Method for identification, isolation and production of antigens to a specific pathogen
 - <http://patft.uspto.gov/netacgi/nph-Parser?Sect1=PTO1&Sect2=HITOFF&d=PALL&p=1&u=%2Fmetahtml%2FPTO>

[%2Fsrchnum.htm&r=1&f=G&l=50&s1=7,771,728.PN.&OS=PN/7,771,728&RS=PN/7,771,728](#)

- Giving brain-damaging meningitis to children via mumps vaccine virus: Rev Med Virol. 1998 Jul;8(3):129-142. Genetic studies on a mumps vaccine strain associated with meningitis. Brown EG1, Wright KE. Author information
 - <https://www.ncbi.nlm.nih.gov/pubmed/10398501>

- Acta Neuropathol. 2017 Jan;133(1):139-147. doi: 10.1007/s00401-016-1629-y. Epub 2016 Oct 21. Deep sequencing reveals persistence of cell-associated mumps vaccine virus in chronic encephalitis. Morfopoulou S1, Mee ET2, Connaughton SM2, Brown JR3, Gilmour K4, Chong WK5, Duprex WP6, Ferguson D2, Hubank M7, Hutchinson C8, Kaliakatsos M9, McQuaid S10,11, Paine S8,12, Plagnol V13, Ruis C14, Virasami A8, Zhan H15, Jacques TS8,16, Schepelmann S2, Qasim W17,18, Breuer J14,3.
 - <https://www.ncbi.nlm.nih.gov/pubmed/27770235>

- Human Exposure to Brucella abortus Strain RB51 -- Kansas, 1997
 - <http://www.cdc.gov/mmwr/preview/mmwrhtml/00051495.htm>
- Clin Infect Dis. 2003 Aug 1;37(3):407-14. Epub 2003 Jul 22. Human illness associated with use of veterinary vaccines. Berkelman RL1.
 - <https://www.ncbi.nlm.nih.gov/pubmed/12884166>
 - <https://academic.oup.com/cid/article/37/3/407/437242/Human-Illness-Associated-with-Use-of-Veterinary>

- 2012; The effect of exogenous corticosterone on West Nile virus infection in Northern Cardinals (Cardinalis cardinalis)
 - <http://7thspace.com/headlines/410671/the-effect-of-exogenous-corticosterone-on-west-nile-virus-infection-in-northern-cardinals-cardinalis-cardinalis.html>

- IDSA admits vaccines not safe for babies:
 - http://www.idse.net/ViewArticle.aspx?d=Public%2BHealth&d_id=212&i=August+2015&i_id=1215&a_id=33373

- **N Engl J Med. 2008 May 15;358(20):2089-91. doi: 10.1056/NEJMp0802904. Vaccines and autism revisited--the Hannah Poling case. Offit PA1.**
 - <http://www.nejm.org/doi/full/10.1056/NEJMp0802904>

- **Big Pharma and the CDC Can't be Trusted When It Comes to Vaccines By Dr. Gary G. Kohls Global Research, May 19, 2017**
 - <http://www.globalresearch.ca/big-pharma-and-the-cdc-cant-be-trusted-when-it-comes-to-vaccines/ 5590538>

- **J Crohns Colitis. 2014 Jul;8(7):607-16. doi: 10.1016/j.crohns.2013.11.021. Epub 2013 Dec 7. Environmental factors in a population-based inception cohort of inflammatory bowel disease patients in Europe--an ECCO-EpiCom study. Burisch J1, Pedersen N2, Cukovic-Cavka S3, Turk N3, Kaimakliotis I4, Duricova D5, Bortlik M5, Shonová O6, Vind I7, Avnstrøm S7, Thorsgaard N8, Krabbe S9, et al**
 - <https://academic.oup.com/ecco-jcc/article-lookup/doi/10.1016/j.crohns.2013.11.021>

- **Inflamm Bowel Dis. 2007 Jun;13(6):759-62. Population-based case-control study of measles, mumps, and rubella and inflammatory bowel disease. Bernstein CN1, Rawsthorne P, Blanchard JF.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/17230540>

- **Altered virulence of vaccine strains of measles virus after prolonged replication in human tis sue. Valsamakis A1, Auwaerter PG, Rima BK, Kaneshima H, Griffin DE**
 - <https://www.ncbi.nlm.nih.gov/pubmed/10482633>

- **Yale's Eugene Shapiro in PBS' "Life on Earth Series":**
 - <http://loe.org/shows/segments.html?programID=00-P13-00037&segmentID=1>

- **Hep B associated with immunosuppression via TLR2 agonism, the vaccine antigen is called "HbsAg")**
 - <https://www.ncbi.nlm.nih.gov/pubmed/?term=Hepatitis+B+recombinant+antigen+and+tlr>

- **Nat Med. 2000 Apr;6(4):451-4. Varicella vaccination: evidence for frequent reactivation of the vaccine strain in healthy children. Krause PR1, Klinman DM.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/10742154>

- **Evolution (N Y). 2011 Dec; 4(4): 635–643. doi: 10.1007/s12052-011-0365-y The double-edged sword: How evolution can make or break a live-attenuated virus vaccine Kathryn A. Hanley**
 - <https://www.ncbi.nlm.nih.gov/pubmed/22468165>
 - <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3314307/>

- **Rubella & “Low Responders” ... are they actually the ones with chronic active disease? Nat Med. 2000 Apr;6(4):451-4. Varicella vaccination: evidence for frequent reactivation of the vaccine strain in healthy children. Krause PR1, Klinman DM.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/10742154>

- **Calif Med. 1971 Nov;115(5):16-22. Transmission of rubella vaccine virus from vaccinees to contacts. Wilkins J, Leedom JM, Salvatore MA, Portnoy B.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/5117594>

- **Calif Med. 1969 Mar;110(3):224-7. Viremia in a recipient of HPV-77 Rubella virus vaccine. Wilkins J, Salvatore MA, Leedom JM, Portnoy B.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/5773481>

- **Malar J. 2010 Mar 1;9:64. doi: 10.1186/1475-2875-9-64. Dual effect of Plasmodium-infected erythrocytes on dendritic cell maturation. Bettiol E1, Carapau D, Galan-Rodriguez C, Ocaña-Morgner C, Rodriguez A.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/20193084>

- **Immunosuppressing antigens in Malaria, again: FEBS J. 2013 Dec;280(23):6196-212. doi: 10.1111/febs.12541. Epub 2013 Oct 16. Structure and dynamic behavior of Tolllike receptor 2 subfamily triggered by malarialglycosylphosphatidylinositols of Plasmodium falciparum. Durai P1, Govindaraj RG, Choi S.**
 - <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4163636/>

- **J Health Psychol. 2007 May;12(3):461-74. The prevalence of chronic fatigue syndrome in Nigeria. Njoku MG1, Jason LA, Torres-Harding SR**
 - <http://www.ncbi.nlm.nih.gov/pubmed/17439996>

- **Among the other very first things we would like to say about ME/CFS and Fibromyalgia are: Nat Commun. 2015 Dec 15;6:10145. doi: 10.1038/ncomms10145. Sepsis induces long-term metabolic and mitochondrial muscle stem cell dysfunction amenable by mesenchymal stem cell therapy. Rocheteau P1, Chatre L2,3, Briand D1, Mebarki M1, Jouvion G1, Bardon J1, Crochemore C2,3, Serrani P1, Lecci PP1, Latil M1, Matot B4,5, Carlier PG4,5, Latronico N6, Huchet C7, Lafoux A7, Sharshar T1,8,9,10, Ricchetti M2,3, Chrétien F1,10,11,12.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/26666572>

- **Herpes. 2006 Nov;13(3):75-80. Investigations of the pathogenesis of Varicella zoster virus infection in the SCIDhu mouse model. Arvin AM1.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/17147912>

- **Brain (2013) 136 (9): e246., 31 May 2013 Small fibre neuropathy, fibromyalgia and dorsal root ganglia sodium channels Manuel Martinez-Lavin DOI:**
 - <https://doi.org/10.1093/brain/awt114>
 - <https://academic.oup.com/brain/article/136/9/e246/288267/Small-fibre-neuropathy-fibromyalgia-and-dorsal>

- **Arthritis Rheum. 2000 Nov;43(11):2493-500. The role of catastrophizing in the pain and depression of women with fibromyalgia syndrome. Hassett AL1, Cone JD, Patella SJ, Sigal LH.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/11083273>

- **Berl Munch Tierarztl Wochenschr. 1992 Nov 1;105(11):380-3. [The effect of Eperythrozoon suis infection on the osmotic fragility of erythrocytes].**
 - <http://www.ncbi.nlm.nih.gov/pubmed/1471973>

- **Ciba Found Symp. 1981;80:98-118. Adhesion of mycoplasmas to eukaryotic cells. Razin S, Kahane I, Banai M, Bredt W.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/6790254>

- **J Immunol. 2001 Jul 15;167(2):910-8. Toll-like receptor 2-dependent inhibition of macrophage class II MHC expression and antigen processing by 19-kDa lipoprotein of Mycobacterium tuberculosis. Noss EH1, Pai RK, Sellati TJ, Radolf JD, Belisle J, Golenbock DT, Boom WH, Harding CV**
 - <http://www.ncbi.nlm.nih.gov/pubmed/11441098>

- **Cell Death Differ. 2004 Nov;11(11):1204-12. Mycoplasma fermentans inhibits tumor necrosis factor alpha-induced apoptosis in the human myelomonocytic U937 cell line. Gerlic M1, Horowitz J, Horowitz S.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/15286682>

- **Cell Microbiol. 2007 Jan;9(1):142-53. Epub 2006 Aug 2. The inhibitory effect of Mycoplasma fermentans on tumour necrosis factor (TNF)-alpha-induced apoptosis resides in the membrane lipoproteins. Gerlic M1, Horowitz J, Farkash S, Horowitz S.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/16889623>

- **The CDC (Vernon, wow) knows chronic mono or chronic EBV is a chronic fatiguing illness: BMC Infect Dis. 2006; 6: 15. Preliminary evidence of mitochondrial dysfunction associated with post-infective fatigue after acute infection with Epstein Barr Virus Suzanne D Vernon, 1 Toni Whistler,1 Barbara Cameron,2 Ian B Hickie,3 William C Reeves,1 and Andrew Lloyd2**
 - <https://www.ncbi.nlm.nih.gov/pubmed/16448567>

- **APMIS. 2003 May;111(5):557-66. Multiple co-infections (Mycoplasma, Chlamydia, human herpes virus-6) in blood of chronic fatigue syndrome patients: association with signs and symptoms.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/12887507>

- **Changes in immune parameters seen in Gulf War veterans but not in civilians with chronic fatigue syndrome. Zhang Q1, Zhou XD, Denny T, Ottenweller JE, Lange G, LaManca JJ, Lavietes MH, Pollet C, Gause WC, Natelson BH**
 - <https://www.ncbi.nlm.nih.gov/pubmed/9874656>
 - <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC95652/>

- **Biochem Biophys Res Commun. 2005 Jul 29;333(2):438-42. Epstein-Barr virus immediate-early proteins BZLF1 and BRLF1 alter mitochondrial morphology during lytic replication. LaJeunesse DR1, Brooks K, Adamson AL**
 - <http://www.ncbi.nlm.nih.gov/pubmed/15950179>

- **This report sounds like it was written by us: Duke researchers explore the link between a commonly held virus and cancer**
 - <http://www.dukechronicle.com/article/2017/05/duke-researchers-explore-the-link-between-a-virusmost-people-have-and-cancer>

- **J Immunol. 2009 Feb 15;182(4):1799-809. doi: 10.4049/jimmunol.0802686. Down-regulation of MHC class II expression through inhibition of CIITA transcription by lytic transactivator Zta during Epstein-Barr virus reactivation. Li D1, Qian L, Chen C, Shi M, Yu M, Hu M, Song L, Shen B, Guo N.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/19201831>

- **Herpesviridae. 2011 Jan 5;2(1):1. doi: 10.1186/2042-4280-2-1. Innate immune modulation in EBV infection. Ning S1.**
 - <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3063194/?tool=pubmed>

- **J Virol. 2002 Aug;76(16):8179-88. The lytic cycle of Epstein-Barr virus is associated with decreased expression of cell surface major histocompatibility complex class I and class II molecules. Keating S1, Prince S, Jones M, Rowe M.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/12134023>

- **Semin Cancer Biol. 2008 Dec;18(6):397-408. doi: 10.1016/j.semcancer.2008.10.008. Epub 2008 Oct 25. Epstein-Barr virus evasion of CD8(+) and CD4(+) T cell immunity via concerted actions of multiple gene products. Ressing ME1, Horst D, Griffin BD, Tellam J, Zuo J, Khanna R, Rowe M, Wiertz EJ.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/18977445>

- **J Immunol. 2012 Feb 1;188(3):1019-26. doi: 10.4049/jimmunol.1102181. Epub 2012 Jan 6. TLR2 signaling depletes IRAK1 and inhibits induction of type I IFN by TLR7/9. Liu YC1, Simmons DP, Li X, Abbott DW, Boom WH, Harding CV.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/22227568>

- Here it says to “please worry that too much TLR2 agonism such as Lyme, LYMERix, mycoplasma etc could be dangerous due to the immunosuppression,” while Yale and the CDC said LYMERix or OspA was a vaccine, the opposite, however: *J Leukoc Biol.* 2013 Jun;93(6):847-63. doi: 10.1189/jlb.1012501. Epub 2013 Mar 8. TLR agonists: our best frenemy in cancer immunotherapy. Kaczanowska S1, Joseph AM, Davila E.
 - <http://www.ncbi.nlm.nih.gov/pubmed/23475577>
 - <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3656332/>

- *J Virol.* 2010 Apr;84(7):3612-23. doi: 10.1128/JVI.01400-09. Epub 2010 Jan 20. Toll-like receptor agonists synergistically increase proliferation and activation of B cells by epstein-barr virus. Iskra S1, Kalla M, Delecluse HJ, Hammerschmidt W, Moosmann A.
 - <http://www.ncbi.nlm.nih.gov/pubmed/20089650>

- What about Diagnosing this/these. Welp, believe it or not, we can thank IDSA: *J Clin Microbiol.* 2014 Jan;52(1):212-7. doi: 10.1128/JCM.02270-13. Epub 2013 Nov 6. Virological diagnosis of central nervous system infections by use of PCR coupled with mass spectrometry analysis of cerebrospinal fluid samples. Lévêque N1, Legoff J, Mengelle C, Mercier-Delarue S, N'guyen Y, Renois F, Tissier F, Simon F, Izopet J, Andréoletti L
 - <http://www.ncbi.nlm.nih.gov/pubmed/24197874>

- "Unmet diagnostic needs in infectious disease"
 - http://ein.idsociety.org/media/publications/papers/2014/Blaschke_DMID_14_Unmet_Diagnostic_Needs.pdf

Charge Sheet 7

- The British “psychiatrist,” Simple Simon, was hired by the U.S. Pentagon to trash Gulf War Illness veterans, while he totally knew otherwise:
 - <http://www.gresham.ac.uk/lectures-and-events/something-old-something-new-something-borrowedsomething-blue-the-true-story-of>

- **BMJ. 2000 May 20;320(7246):1363-7. Role of vaccinations as risk factors for ill health in veterans of the Gulf war: cross sectional study. Hotopf M1, David A, Hull L, Ismail K, Unwin C, Wessely S.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/10818024>

- **Immunopharmacol Immunotoxicol. 2004 Feb;26(1):1-15. Pyridostigmine bromide (PYR) alters immune function in B6C3F1 mice. Peden-Adams MM1, Dudley AC, EuDaly JG, Allen CT, Gilkeson GS, Keil DE.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/15106728>

- **Toxicol Sci. 2009 Mar;108(1):110-23. doi: 10.1093/toxsci/kfp001. Epub 2009 Jan 13. N,N,-diethyl-m-toluamide (DEET) suppresses humoral immunological function in B6C3F1 mice. Keil DE1, McGuinn WD, Dudley AC, EuDaly JG, Gilkeson GS, Peden-Adams MM**
 - <http://www.ncbi.nlm.nih.gov/pubmed/19141786>

- **Toxicol Ind Health. 2001 Jun;17(5-10):192-209. Evaluation of immunotoxicity induced by single or concurrent exposure to N,N-diethyl-m-toluamide (DEET), pyridostigmine bromide (PYR), and JP-8 jet fuel. Peden-Adam MM1, Eudaly J, Eudaly E, Dudley A, Zeigler J, Lee A, Robbs J, Gilkeson G, Keil DE.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/12539864>

- **Science. 2001 May 4;292(5518):853. Continuing research into Gulf War illness. Nicolson G.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/11341275>
 - <http://science.sciencemag.org/content/292/5518/853.2.long>
 - <http://www.actionlyme.org/GARTHNICOLSON.pdf>

- **Clin Diagn Lab Immunol. 1999 Jan;6(1):6-13. Changes in immune parameters seen in Gulf War veterans but not in civilians with chronic fatigue syndrome. Zhang Q1, Zhou XD, Denny T, Ottenweller JE, Lange G, LaManca JJ, Lavietes MH, Pollet C, Gause WC, Natelson BH.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/9874656>
 - <http://www.pubmedcentral.nih.gov/picrender.fcgi?artid=95652&blobtype=pdf>

- **2014: New research links Iraq dust to ill soldiers "An Armed Forces Health Surveillance Center report from 2012 also showed a 150 per 1,000 rate of clinic visits for respiratory diseases before the wars in Iraq and Afghanistan, and a rate of 173 per 1,000 rate during the war years."**
 - <http://www.usatoday.com/story/news/nation/2014/06/02/lung-study-va/9771237/>

- **Now let's take a look at how you can have cortisol-reactivated Epstein-Barr virus if you are an astronaut or medical school student (clue, sleep-wake cycle) in the National Library of Medicine/ pubmed:**
 - <http://www.ncbi.nlm.nih.gov/pubmed/?term=epstein-barr+and+astronauts>

- **Health Psychol. 1993 Nov;12(6):435-42. Stress and the memory T-cell response to the Epstein-Barr virus in healthy medical students. Glaser R, Pearson GR, Bonneau RH, Esterling BA, Atkinson C, Kiecolt-Glaser JK.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/8293726>

- **Interdiscip Perspect Infect Dis. 2011;2011:571340. doi: 10.1155/2011/571340. Epub 2011 Dec 20. Fatigue in medical residents leads to reactivation of herpes virus latency. Uchakin PN1, Parish DC, Dane FC, Uchakina ON, Scheetz AP, Agarwal NK, Smith BE.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/22229027>

- **First, we lack sufficient research data to back up my clinical experience and professional opinion (which some psychiatrists would agree with and some would disagree with)."**
 - <http://www.foxnews.com/health/2014/03/28/dr-ablow-sure-parents-can-make-their-kids-sick/>

Charge Sheet 8

- **J Infect Dis. 1994 Feb;169(2):313-8. Antibody responses to the three genomic groups of Borrelia burgdorferi in European Lyme borreliosis. Dressler F1, Ackermann R, Steere AC.**
 - <http://www.ncbi.nlm.nih.gov/pubmed/8106763>

- **J Pediatr. 1999 Nov;135(5):575-9. Immunogenicity of a recombinant Borrelia burgdorferi outer surface protein A vaccine against Lyme disease in children. Feder HM Jr1, Beran J, Van Hoecke C, Abraham B, De Clercq N, Buscarino C, Parenti DL.**
 - <https://www.ncbi.nlm.nih.gov/pubmed/10547245>